

APPLICABLE MATERIAL:



EPS / STYROFOAM

EPE / PE FOAM

EPP

XPS

PSP / PS PAPER



ADVANTAGES:

- ◆ **Melting Technology** enables continuous output, with high density, security and low utility consumption.
- ◆ **Famous Brand Components** like SIEMENS, PHOENIX, SCHNEIDER, NSK, etc.
- ◆ **Safety Switch** ensures the security and efficiency for automatic operation.
- ◆ **Efficient Pre-crusher** shreds foam into 20-50 mm (0.7~2 in) size small pieces.
- ◆ **CE/UL/CSA Standards.**

TECHNICAL DATA:

ITEM	M-C200
Motor Power	37.5 kw / 50 hp
Production Capacity	200 kg per hour / 440 lbs per hour
Foam Compression Ratio	90:1
Compressed Foam Density	600-800 kg/m ³ / 1320-1750 lbs/cubic yard
Feed Hopper Dimension	970*740 (l/w) mm / 38*29 (l/w) in.
Dimensions	3030*1650*2070 (l/w/h) mm / 120*65*81 (l/w/h) in.
Shipping Dimensions	3130*1750*2270 (l/w/h) mm / 123*69*89 (l/w/h) in.
Weight	2,500 kg / 5500 lbs
Standard	CE / UL / CSA