

**APPLICABLE MATERIAL:**



EPS / STYROFOAM

EPE / PE FOAM

EPP

XPS

PSP / PS PAPER



**ADVANTAGES:**

- ◆ **Melting Technology** enables continuous output, with high density, security and low utility consumption.
- ◆ **Famous Brand Components** like SIEMENS, PHOENIX, SCHNEIDER, NSK, etc.
- ◆ **Efficient Pre-crusher** shreds foam into 20-50 mm (0.7~2 in) size small pieces.
- ◆ **CE/UL/CSA Standards.**

**TECHNICAL DATA:**

ITEM	M-C50
Motor Power	7.5 kw / 10.2 hp
Production Capacity	50 kg per hour / 110 lbs per hour
Foam Compression Ratio	90:1
Compressed Foam Density	600-800kg/m <sup>3</sup> / 1320-1750lbs/cubic yard
Feed Hopper Dimension	570*370 (l/w) mm / 22.4*14.6 (l/w) in.
Dimensions	1630*1300*1910 (l/w/h) mm / 64*51*75 (l/w/h) in.
Shipping Dimensions	1880*1550*2170 (l/w/h) mm / 74*61*85 (l/w/h) in.
Weight	650 kg / 1430 lbs
Standard	CE / UL / CSA